

Lighting Guide

Commercial • Industrial • Residential



WAREHOUSES



PARKING LOTS / GARAGES



MANUFACTURING



EDUCATION



RETAIL



AND MORE

Table of Contents

High Bays	4
Strips	6
Wraps	7
Vapor Tights	8
Light Bar Kits	9
Linear LED Lamps	10
LED Retrofit Lamps	12
Flat Panels	14
Troffers/Center Baskets	15
Residential Downlights	16
Commercial Downlights & Accessories	17
Lighting Controls	18
Wall Packs	21
Flood/Area	22
Exits & Emergency	24
Temporary Lighting	25
Design Build (Interior)	26
Design Build (Exterior)	28
Drivers	30
Custom Lighting Solutions	31

Round High Bays

REBL LED HIGH BAY
Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099008	80 / 100 / 120	12000 - 18000	3500 / 4000 / 5000	120 - 347	UP TO 250W MH
5099009	150 / 170 / 200	24000 - 30000			UP TO 400W MH
5044512	SENSOR 8' TO 45' CEILING				

UHBS2 LED HIGH BAY
Wattage/Color/Distribution Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5038327	150 / 200 / 240	23839 - 40005	3000 / 3500 / 4000 5000 / 6500	120 - 347	400 - 1000W MH
5099023	SENSOR 8' TO 50' CEILING				

XFIT LED HIGH BAY
Color Static



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4718329	200	30000	5000	120 - 277	UP TO 400W MH
5099204	240	36000			UP TO 1000W MH
5099236	SENSOR 8' TO 35' CEILING				

XFIT LED HIGH BAY
Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099205	100 / 150 / 200	15710 - 32330	3000 / 4000 / 5000	120 - 277	UP TO 400W MH
5099236	SENSOR 8' TO 35' CEILING				

XFIT OPTIC SWAP LED HIGH BAY
Wattage/Color/Distribution Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099206	70 / 100 / 150	10710 - 23100	3000 / 4000 / 5000	120 - 277	UP TO 400W MH
5099207	150 / 200 / 240	21600 - 36720			UP TO 1000W MH
5099236	SENSOR 8' TO 35' CEILING				

VERTICAL LED RETROFIT HIGH BAY LAMPS
Type B - Ballast Bypass



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4659346	8.7" x 10.5"	140	19500	3000 / 4000 / 5000	120 - 277	UP TO 400W MH
4659347					277 - 480	
4659371	10.3" x 12.5"	270	35425	5000	120 - 277	UP TO 1000W MH
4659373					277 - 480	

Linear High Bays

XFIT LED HIGH BAY
Wattage/Color Selectable



* Sensor is included with this fixture

ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5132192	135 / 175 / 215	20800 - 30600	4000 / 5000	120 - 277	UP TO 400W MH

COMPACT PRO LED HIGH BAY
Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4786874	159 / 181 / 198	24000 - 30000	4000 / 5000	120 - 277	UP TO 400W MH
5044512	SENSOR 8' TO 45' CEILING				

XFIT OPTIC SWAP LED HIGH BAY
Wattage/Color/Distribution Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099202	65 / 90 / 105	10160 - 16200	4000 / 5000	120 - 277	UP TO 250W MH
5099203	135 / 175 / 215	21960 - 32870			UP TO 400W MH
5099236	SENSOR 8' TO 35' CEILING				

OPTI-SELECT LED HIGH BAY
Wattage/Color/Distribution Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5039578	105 / 135 / 165	15750 - 24750	3500 / 4000 / 5000	120 - 347	UP TO 400W MH
5039580	255 / 275 / 300	38250 - 45000			UP TO 1000W MH
4610357	SENSOR 8' TO 39' CEILING				



Strips

CONTRACTOR SELECT CSS LED STRIP

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4272263	4'	27 / 36 / 43	3851 - 5884	3500 / 4000 / 5000	120 - 277
4272264	8'	46 / 64 / 90	6272 - 12046		

PERFORMANCE CLASS LED STRIP

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4890582	4'	22 / 35 / 45 / 55	2860 - 7150	3500 / 4000 / 5000	120 - 347
4890583	8'	45 / 65 / 85 / 100	5850 - 13000		

VALUELED LED STRIP

Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4271093	4'	20	2200	3000 / 4000 / 5000	120 - 277
4271094		42	4500		

MRSL STRIPLIGHT LED RETROFIT KIT

Color Static



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4556511 RETROFIT	4'	35	5000	4000	120 - 277
4556512 RETROFIT	8'	72	10000		



Wraps

TRUM LED WRAP

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5018730	4'	34 / 43 / 52	4000 - 6000	3000 / 4000 / 5000	120 - 277

PERFORMANCE CLASS LED WRAP

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4908489	4'	30 / 40 / 50 / 60	4290 - 8400	3500 / 4000 / 5000	120 - 347



Vapor Tights

CSVT LED VAPOR TIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING
4566005	4'	24 / 34 / 42	3000 - 5000	3500 / 4000 / 5000	120 - 277	IP65
4448916	8'	49 / 68 / 84	6000 - 10000			

APVT LED INDUSTRIAL VAPOR TIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING
5099020	4'	21 / 32 / 46	2988 - 6254	3500 / 4000 / 5000	120 - 277	IP65
4931842	8'	59 / 78 / 94	8379 - 11664			

PERFORMANCE CLASS LED VAPOR TIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING
4908751	4'	20 / 30 / 40 / 50	2860 - 7000	3500 / 4000 / 5000	120 - 347	IP66
4908752	8'	70 / 80 / 90 / 100	10010 - 14000			

IP (Ingress Protection) Ratings Guide

SOLIDS			WATER		
1		Protected against a solid object greater than 50mm, such as a hand.	1		Protected against vertically falling drops of water. Limited ingress permitted.
2		Protected against a solid object greater than 12.5mm, such as a finger.	2		Protected against vertically falling drops of water with enclosure tilted up to 15° from the vertical. Limited ingress permitted.
3		Protected against a solid object greater than 2.5mm, such as a screwdriver.	3		Protected against sprays of water up to 60° from the vertical. Limited ingress permitted for 3 minutes.
4		Protected against a solid object greater than 1mm, such as a wire.	4		Protected against water splashed from all directions. Limited ingress permitted.
5		Dust protected. Limited ingress of dust permitted. Will not interfere with operation of equipment. 2 to 8 hours.	5		Protected against jets of water. Limited ingress permitted.
6		Dust tight. No ingress of dust. 2 to 8 hours.	6		Water from heavy seas or water projected in powerful jets shall not enter the enclosure in harmful quantities.
Rating Example: IP65 Ingress Protection			7		Protected against the effects of immersion in water between 15cm and 1m for 30 minutes.
			8		Protected against the effects of immersion in water under pressure for long periods.

XFIT LED VAPOR TIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING
4591421	4'	18 / 28 / 44	2556 - 5852	3500 / 4000 / 5000	120 - 277	IP66
4591423	8'	54 / 75 / 90	7560 - 11970			

Light Bar Kits

LBI LINKABLE LED LIGHT BAR KIT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4126402	2'	6 / 9 / 12	780 - 1560	3500 / 4000 / 5000	120 - 277
4126403	3'	10 / 12 / 15	1400 - 2100		
4807619	4'	10 / 15 / 25	1462 - 3653		

Common LBI Applications

Decorative Pendant Mount Fixtures

Office Space



Continuous Run

Warehouse Space



Cove Lighting

Hospitality



Coolers

Grocery or Convenience Stores



CONNECTORS & CONTROLS

ITEM #	TYPE	DESCRIPTION	IMAGE	PACK QUANTITY
4807618	INCOMING POWER CABLE	3'		1
4548795		90° / 12'		
4548746	SEAMLESS CONNECTORS	DIM		10
4548747		NON-DIM		
4548740	SPACE CONNECTOR	4.7"		1
5099415	SURFACE MOUNT	MAGNETIC CLIP		10
2320454	SUSPENDED IN LINE	KIT		10
4548743		BRACKET ONLY		
4548744	T-BAR CLIP	PARALLEL		10
4548770		PERPENDICULAR		
4548769	OUTPUT CAP	CONTROL TERMINATION PLUG		10
4548765	45° BRACKET	COVE AND DISPLAY CASES		1
5099416	EMERGENCY BATTERY BACK-UP	8W		1
5099417		25W		
5099418	SENSOR	MICROWAVE		1
5099419		PIR		

Linear LED Lamps

Why You Should Consider Linear LED Lamps

Traditional fluorescent tubes have hit their performance ceiling, while linear LED lamps are rapidly advancing—offering better energy efficiency, longer life, and more control.

As more facilities upgrade, contractors are fielding questions about which LED options are best. While no solution is one-size-fits-all, knowing the pros and cons of each type helps you guide your customers to the right choice for their application.



DUALESCENT LED T8 LAMP Type A/B - Color Selectable



SYLVANIA



- Retail 2-Pack
- Single or Double-Ended Wiring
- Non-Dimmable

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T8 / T12
4635541	4'	16	1800	3000 / 4100 / 5000	120 - 277	28W / 32W 34W / 40W

COMBODRIVE X3 LED T8 LAMP Type A/B - Color Selectable



KEYSTONE
LIGHT MADE EASY



- Single or Double-Ended Wiring
- Dimmable with Compatible Dimming Ballast
- Suitable for Dry and Damp Locations

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T8 / T12
4811723	4'	13	2000	3000 / 3500 / 4000 5000 / 6500	120 - 277	28W / 32W 34W / 40W

LEDLESCENT LED T8 EMBB LAMP Type B - Emergency Backup/Color Selectable



LEDVANCE



- UL924 Listed
- Non-Dimmable
- Suitable for Dry and Damp Locations

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T8 / T12
4860181 EMERGENCY	4'	14	2000	3500 / 4100 / 5000	120 - 277	28W / 32W 34W / 40W

DIRECTDRIVE LED T8 LAMP Type B - Emergency Backup/Color Selectable



KEYSTONE
LIGHT MADE EASY



- UL924 Listed
- Non-Dimmable
- Suitable for Dry and Damp Locations

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T8 / T12
4986589 EMERGENCY	4'	14.5	2000	3000 / 3500 / 4000 5000 / 6500	120 - 277	28W / 32W 34W / 40W



Linear LED Lamps

DIRECTDRIVE DX2 LED T5HO LAMP Type B - Color Selectable



KEYSTONE
LIGHT MADE EASY



- Single or Double-Ended Wiring
- Non-Dimmable
- Suitable for Dry and Damp Locations

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T8
5099208	4'	25	3500	3000 / 3500 / 4000 5000 / 6500	120 - 277	F54T5 / HO

DIRECTDRIVE D2 LED T8 LAMP Type B - Wattage/Color/Base Selectable



KEYSTONE
LIGHT MADE EASY



- Two-Piece Construction Reduces Breakage
- Includes Both Fa8 (Single-Pin) and R17d Base Types
- Support Clip Prevents Lamp Sagging/Twisting
- Double-Ended Wiring

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 8' T8 / T12
5099209	8'	24 / 32 / 40	3300 - 5500	3000 / 3500 / 4000 5000 / 6500	120 - 277	59W / 75W / 86W 95W / 110W

LEDLESCENT LED T5HO LAMP Type B - Color Static



LEDVANCE



- Double-Ended Wiring
- Non-Dimmable
- Suitable for Dry and Damp Locations

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T5
4611880	4'	24	3500	4100	120 - 277	F54T5 / HO
4611881				5000		

ECO LED T8 LAMP Type B - Color Static



SYLVANIA



- Double-Ended Wiring
- Non-Dimmable
- Suitable for Dry and Damp Locations

ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES 4' T8 / T12
4312846	4'	18	2160	4100	120 - 277	28W / 32W 34W / 40W
4312847				5000		

Types of Linear LED Lamps

Type A	Type B	Type AB
• Plug and play with existing ballast • Simplest and lowest install cost • Dimmable with compatible ballast	• Ballast bypass direct wire with line voltage • Single or double-ended wiring • Eliminates ballast compatibility issues	• Plug and play with ballast <u>or</u> ballast bypass direct wire with line voltage • Single or double-ended wiring • SKU reduction 2-in-1 solutions



LED Retrofit Lamps

SUPERFLEX BOLLARD & POST TOPS

Type B - Wattage/Color Selectable



ITEM #	SIZE	BASE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4513849	6.6" x 3.0"	E26	12 / 18 / 24	1550 - 3360	3000 4000 5000	120 - 277	UP TO 150W MH
4513850	6.9" x 3.0"	EX39					
4394760	7.4" x 3.4"	E26	35 / 45 / 60	5140 - 8870			UP TO 320W MH
4394761	7.8" x 3.4"	EX39				80 / 100 / 110	
4394762	9.5" x 3.8"		150 / 200 / 270	21700 - 39000		UP TO 750W MH	
5099249	12.3" x 5.6"		300 / 360 / 450	50100 - 73300		208 - 347	UP TO 1000W MH
5099250							

Common Applications

Post Top Light	
High Bay Fixture	
Wall Pack	
Area Light	



LED Retrofit Lamps

LED HID HAZARDOUS RETROFIT LAMPS

Type B - Rated for Classified Fixtures

- Rated for:
- Class I, Division 2 Groups A, B, C, D
 - Class II, Division 1 Groups E, F, G
 - Class II, Division 2 Groups F, G



ITEM #	SIZE	BASE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4481151	5.4" x 2.6"	E26 / EX39	21	3000	5000	120 - 277	UP TO 50W HPS / 70W MH
4481148			35	5000			UP TO 70W HPS / 100W MH
4481154			45	6000			UP TO 100W HPS / 100W MH
4668220	7.8" x 3.7"	EX39	80	12000		277 - 480	UP TO 150W HPS / 250W MH
4668225							
4668222	8.3" x 4.1"		150	23500		120 - 277	UP TO 310W HPS / 400W MH
4668223		277 - 480					

* Only approved luminaires listed should be used

What's Considered a Hazardous Location?

The National Electrical Code (NEC) defines hazardous locations in terms of **CLASS**, **DIVISION** and **GROUP**:

- **CLASS I** locations are those in which flammable gases or vapors are or may be present in the air in quantities sufficient to produce explosive or ignitable mixtures.
- **CLASS II** locations are those that are hazardous because of the presence of combustible dust.

Each **CLASS** is further defined as either **DIVISION 1** or **DIVISION 2**:

- **DIVISION 1** is an environment that is normally hazardous.
- **DIVISION 2** is an environment that is not normally hazardous.

GROUP defines the specific hazardous material in the surrounding atmosphere. See the table at right for specific examples.

For use at drilling rigs, petrochemical facilities, food and beverage facilities and other heavy-industry areas. See lamp installation guides for full luminaire fitting details and temperature profiles and approved fixtures.

NEC CLASS	DIVISION	GROUP	TYPICAL ATMOSPHERE AND AUTO-IGNITION TEMPERATURES
I - Gases, Vapors	2 - Not normally present	A	Acetylene (305°C, 581°F)
		B	Hydrogen (502°C, 986°F) manufactured gases containing more than 30% hydrogen (by volume)
		C	Ethylene (450°C, 842°F) Cyclopropane (503°C, 938°F)
		D	Hexane (225°C, 437°F) Butane (288°C, 550°F) Propane (450°C, 842°F) Acetone (465°C, 869°F) Benzene (420°C, 788°F) Gasoline (280°-471°C, 536°-880°F)
II - Combustible Dusts	1 - Normally present 2 - Not normally present	E	Metal Dusts (Aluminum, Magnesium)
		F	Carbonaceous Dusts (Coal, Carbon black, Charcoal, Coke)
		G	Dusts not in Groups E or F (Flour, Grain, Wood, Plastic)

Flat Panels

CPX LED PANEL

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4382882	1' x 4'	19 / 28 / 35	2430 - 4280	3500 / 4000 / 5000	120 - 277
4370900	2' x 2'	18 / 28 / 37	2399 - 4564		
4370901	2' x 4'	28 / 36 / 50	3813 - 6563		

XFIT LED PANEL

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4811726	1' x 4'	20 / 30 / 35	2400 - 4200	3500 / 4000 / 5000	120 - 277
4811727	2' x 2'				
4811728	2' x 4'				

CGTS LED PANEL


Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5099421	1' x 4'	21 / 32 / 37	3271 - 5147	3500 / 4000 / 5000	120 - 277
4600862	2' x 2'	21 / 30 / 40	2720 - 5063		
4600863	2' x 4'	27 / 39 / 52	3600 - 6918		

XFIT LED PANEL W/INTEGRATED EMERGENCY

Wattage/Color Selectable - Emergency Backup



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5099410 EMERGENCY	2' x 2'	20 / 30 / 35	2400 - 4200	3500 / 4000 / 5000	120 - 277
5099411 EMERGENCY	2' x 4'	30 / 35 / 45	3850 - 5650		

VALUE CLASS LED PANEL

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4313117	1' x 4'	20 / 30 / 35	2200 - 3850	3500 / 4000 / 5000	120 - 277
4313118	2' x 2'				
4313119	2' x 4'	30 / 35 / 45	3300 - 5000		

XFIT LED PANEL DOORFRAME RETROFIT KIT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5099412 RETROFIT	1' x 4'	20 / 30 / 35	2200 - 3850	3500 / 4000 / 5000	120 - 277
5099413 RETROFIT	2' x 2'				
5099414 RETROFIT	2' x 4'	30 / 35 / 45	3300 - 4950		

Troffers/Center Baskets

BLT SERIES LED VOLUMETRIC TROFFER

Color Static



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
3474038	2' x 2'	26	3385	4000	120 - 277
3474040	2' x 4'	31	4063		

ACHIEVA LED CENTER BASKET

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4903764	2' x 2'	20 / 27 / 33	2767 - 4308	3500 / 4000 / 5000	120 - 277
4903762	2' x 4'	24 / 34 / 47	3407 - 6254		

VALUE CLASS LED VOLUMETRIC TROFFER

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4599132	1' x 4'	20 / 24 / 28 / 32	2500 - 4000	3500 / 4000 / 5000	120 - 347
4599133	2' x 2'				
4599134	2' x 4'	24 / 32 / 39 / 44	3000 - 5500		

XFIT LED CENTER BASKET

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5099404	1' x 4'	24 / 30 / 35	3240 - 4550	3500 / 4000 / 5000	120 - 277
5099405	2' x 2'				
5099406	2' x 4'	30 / 38 / 45	3900 - 5850		
5099248	WIRELESS BLUETOOTH MESH PIR MOTION AND DAYLIGHT SENSOR				

SKYRIDGE LED ARCHITECTURAL TROFFER

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5099422	1' x 4'	32 / 45 / 60	3084 - 6120	3000 / 4000 / 5000	120 - 277
5099423	2' x 2'	30 / 40 / 50	2765 - 4160		
5099022	2' x 4'	42 / 53 / 65	4124 - 7048		

XFIT LED CENTER BASKET RETROFIT KIT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
5099407 RETROFIT	1' x 4'	24 / 30 / 35	3240 - 4550	3500 / 4000 / 5000	120 - 277
5099408 RETROFIT	2' x 2'				
5099409 RETROFIT	2' x 4'	30 / 38 / 45	4050 - 5850		
5099248	WIRELESS BLUETOOTH MESH PIR MOTION AND DAYLIGHT SENSOR				



Residential Downlights

OVA SURFACE MOUNT DISK LIGHT

Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4811725	6"	15	1230	2700 / 3000 / 3500 4000 / 5000	120	PHASE

AVIVA DOWNLIGHT RETROFIT TRIM

Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4591480	4"	8	710 - 730	2700 / 3000 / 3500 4000 / 5000	120	PHASE
4591483	6"	14	1220 - 1260			

CIRCA LED SLIM WAFER DOWNLIGHT

Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4591501	4"	9	700 - 786	2700 / 3000 / 3500 4000 / 5000	120	PHASE
4591502	6"	13	1206 - 1278			



NIGHT RING RETROFIT DOWNLIGHT

Color Selectable/Night Light



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4904469	4"	8	700	2700 / 3000 / 3500 4000 / 5000	120	PHASE
4904471	6"	12	1000			

NIGHT RING MICRODISK

Color Selectable/Night Light



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4904467	4"	10	830	2700 / 3000 / 3500 4000 / 5000	120	PHASE
4904468	6"	12	1000			

Commercial Downlights & Accessories

CIRCA LED SLIM WAFER DOWNLIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4591510	4"	8.5 / 9.5 / 10.5	650 - 870	2700 / 3000 3500 / 4000 5000	120 - 277	0-10V
4591511	6"	10 / 12 / 14	850 - 1290			
4591512	8"	14 / 18 / 23	1165 - 2121			

INTERCHANGEABLE TRIM FOR WAFERS					
ITEM #	SIZE	COLOR	MATTE BLACK	BRUSHED NICKEL	BRONZE
4591520	4"	MATTE BLACK			
4591523		BRUSHED NICKEL			
4591526		BRONZE			
4591521	6"	MATTE BLACK			
4591524		BRUSHED NICKEL			
4591527		BRONZE			
4591522	8"	MATTE BLACK			
4591525		BRUSHED NICKEL			
4591528		BRONZE			

ADVANTA LED DOWNLIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
5099190	4"	5.5 / 7 / 9 / 10 / 13	650 - 1450	2700 3000 3500 4000 5000	120 - 277	PHASE / 0-10V
5099191	6"	9.5 / 13 / 18.5 / 21 / 24	1050 - 2650			
5099192	8"	16 / 20 / 23 / 27 / 30	1850 - 3350			
5099193	10"	20 / 24 / 28 / 32 / 38	2300 - 4150			

INTERCHANGEABLE TRIM FOR WAFERS					
ITEM #	SIZE	COLOR	MATTE BLACK	BRUSHED NICKEL	BRONZE
4591458	6"	MATTE BLACK			
4591461		BRUSHED NICKEL			
4591464		BRONZE			
4591459	8"	MATTE BLACK			
4591462		BRUSHED NICKEL			
4591465		BRONZE			
4591460	10"	MATTE BLACK			
4591463		BRUSHED NICKEL			
4591466		BRONZE			

ADVANTA LED EMERGENCY DOWNLIGHT

Wattage/Color Selectable - Emergency Backup



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
5154005	6"	9.5 / 13 / 18.5 / 21 / 24	1050 - 2750	2700 / 3000 / 3500 4000 / 5000	120 - 277	0-10V
5154006	8"	16 / 20 / 23 / 27 / 30	1850 - 3400			

INTERCHANGEABLE TRIM FOR WAFERS					
ITEM #	SIZE	COLOR	MATTE BLACK	BRUSHED NICKEL	BRONZE
4591474	6"	MATTE BLACK			
4591476		BRUSHED NICKEL			
4591478		BRONZE			
4591475	8"	MATTE BLACK			
4591477		BRUSHED NICKEL			
4591479		BRONZE			

PL (TYPE A + B)

Color Selectable/Rotatable Head/Adjustable Base




ITEM #	BASE	WATTAGE	LUMEN	COLOR	VOLTAGE	MOUNTING	REPLACES
5154411	G24d	9	1050 - 1100	2700 / 3000 3500 / 4000 5000	120 - 277	OMNI-DIRECTIONAL	32W
5154412	G24q / GX24q						42W
5154413		16	1750 - 1850				

Lighting Controls

Wireless Lighting Controls

Flexible, wireless controls and sensors for simple, code-compliant design.



Maximize Efficiency

APPLICATION	POTENTIAL SAVINGS
 OCCUPIED: ON VACANT: OFF	20-60% Lighting
 FULL ON DIM	25-60% Lighting
 7 AM: DIM 7 PM: OFF	10-20% Lighting
 FULL ON DIM	30-50% Peak Period
 APPLIANCE ON APPLIANCE OFF	15-50% Controlled Load
 MAX: 100% MAX: 80%	10-30% Lighting
 FULL ON DIM	10-20% Lighting
 HEATING COOLING	5-15% HVAC
 SAVING 60% BEFORE SAVING 70% AFTER	Variable

Lighting Controls

Building System Integration



DATA: Energy Savings and Space Utilization

Quickly view and display energy-usage information to drive decision making and demonstrate savings.



Schedules

Use a 365 day calendar to automatically adjust lights based on time of day, including single day and holiday events.




Load Shed

Easily set lighting reduction levels that automatically respond during peak electricity usage times.



Scene Control

Create and configure scenes to control individual devices, areas, or groups of areas on demand.




Light Control

Directly adjust the light levels remotely from any smart device. Easily respond to occupant requests without needing to be in the physical space.




Alerts

View proactive alerts that show issues such as low batteries or inactive devices to help improve building maintenance efficiency.



The BACnet/IP protocol is the primary means of integration. BACnet is embedded or native in the Vive wireless hub, which means no external interfaces or gateways are required in order to communicate with other systems. API integration, native on the Vive hub, enables integration with third party devices, systems, and software. RESTful APIs are available over the ethernet.



Lighting Controls

STEP 1: Pick Your Controllers



ITEM #	DIMMING	CAPACITY	TYPE
3472154	0-10V	8 AMP	POWERPAK
3472149	SWITCHING ONLY	16 AMP	POWERPAK
4394342	PHASE	450 WATTS	POWERPAK
3717626	SWITCHING ONLY	20 AMP	PLUG
3603959	PHASE	150W	DIMMER
3472153	SWITCHING ONLY	6 AMP	SWITCH
3997903	0-10V	8 AMP	DIMMER / SENSOR
3997904	SWITCHING ONLY	8 AMP	SWITCH / SENSOR

STEP 2: Pick Your Wireless Occupancy/Vacancy Sensor



ITEM #	MOUNTING	TYPE
1963135	CEILING	OCCUPANCY / VACANCY SENSOR
1829387	WALL	
1829389	CORNER	

STEP 3: Add Your Daylight Harvesting Sensor



ITEM #	MOUNTING	TYPE
1752710	CEILING	DAYLIGHT HARVESTING SENSOR

STEP 4: Pick Your PICO and Wall Box Adapter



ITEM #	DESCRIPTION
2970667	3 BUTTON W/ RAISE LOWER
2970617	2 BUTTON
2982168	WALL BOX ADAPTER

STEP 5: Add Your Hub



ITEM #	MOUNTING
3722776	FLUSH



Wall Packs

AFO EMERGENCY UNIT MINI WALL PACK Color Static – Emergency Backup



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099007 EMERGENCY	15	1275	5000	120 - 277	UP TO 50W MH

TWR SERIES TRADITIONAL LED WALL PACK Wattage/Color Selectable




ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4786875	16 / 36 / 59	2300 - 8500	3000 / 4000 / 5000	120 - 347	UP TO 250W MH
4786876	55 / 82 / 112	8200 - 16100			UP TO 400W MH

LUMARK AP TRADITIONAL LED WALL PACK Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099021	29 / 39 / 48 / 57	4292 - 8518	3000 / 3500 / 4000 5000 / 6500	120 - 347	UP TO 250W MH
5033165	73 / 82 / 91 / 100	11079 - 15078			UP TO 400W MH

PERFORMANCE CLASS EMERGENCY MINI WALL PACK Color Selectable - Emergency Backup



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4567661 EMERGENCY	15	1875	3000 / 4000 / 5000	120 - 277	UP TO 50W MH

FORM FIT FULL CUTOFF LED WALL PACK Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099171	15 / 25 / 35	2070 - 5110	3000 / 4000 / 5000	120 - 277	UP TO 150W MH
5099169	55 / 70 / 80	7813 - 11681			UP TO 250W MH

XFIT TRADITIONAL SLIM LED WALL PACK Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4811720	35 / 45 / 55	4900 - 7645	3000 / 4000 / 5000	120 - 277	UP TO 250W MH
4811722	80 / 100 / 120	11280 - 17640			UP TO 400W MH

Flood/Area

ESXF LED FLOOD LIGHT
Wattage/Color Selectable




ITEM #	DISTRIBUTION	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES	MOUNTING INCLUDED
4604031	7H x 7V	22 / 37 / 56	3500 - 7500	3000 4000 5000	120 - 277	UP TO 250W MH	KNUCKLE / YOKE
4604032		53 / 69 / 100	8500 - 14000			UP TO 320W MH	SLIPFITTER / YOKE
4604033		111 / 124 / 150	16000 - 20000			UP TO 400W MH	
4959796		184 / 259 / 341	30000 - 50000		120 - 347	UP TO 1000W MH	

PERFORMANCE CLASS OPTI-SELECT FLOOD LIGHT
Wattage/Color/Distribution Selectable



ITEM #	DISTRIBUTION	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES	MOUNTING INCLUDED
4995720	55° 75° 90°	15 / 25 / 30	2175 - 4350	3000 4000 5000	120 - 347	UP TO 175W MH	KNUCKLE / TRUNNION
4995721		35 / 45 / 60	5075 - 8700			UP TO 250W MH	SLIPFITTER / TRUNNION
4995722		80 / 100 / 140	11600 - 20300			UP TO 400W MH	
4995723		200 / 250 / 300	29000 - 43500			UP TO 1000W MH	

FLEXCOLOR SHOE BOX/WALL PACK
Type B – Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4548801	11.4" x 4.3"	110	15400	3000 / 4000 / 5000	120 - 277	UP TO 400W MH
4548802					277 - 480	



XFIT OPTIC SWAP HIGH POWER LED FLOOD LIGHT
Wattage/Color/Distribution Selectable



ITEM #	DISTRIBUTION	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES	MOUNTING INCLUDED
5099210	7H x 6V 6H x 6V 5H x 5V	100 / 140	14000 - 21000	3000 4000 5000	120 - 277	UP TO 400W MH	SLIPFITTER / TRUNNION
5099211		210 / 290	29400 - 43500			UP TO 1000W MH	

INTERCHANGEABLE COLORED LENSES						
ITEM #	SIZE	COLOR	DISTRIBUTION	BLUE	GREEN	RED
5099215	140W FIXTURE	BLUE	7H x 6V			
5099216			6H x 6V			
5099217			5H x 5V			
5099218		GREEN	7H x 6V			
5099219			6H x 6V			
5099220			5H x 5V			
5099221	290W FIXTURE	RED	7H x 6V			
5099222			6H x 6V			
5099223			5H x 5V			
5099227		BLUE	7H x 6V			
5099228			6H x 6V			
5099229			5H x 5V			
5099230		GREEN	7H x 6V			
5099231			6H x 6V			
5099232			5H x 5V			
5099233		RED	7H x 6V			
5099234			6H x 6V			
5099235			5H x 5V			

Flood/Area

CNY LED ALO CANOPY LUMINAIRE
Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING	CONTROL
4920939	10" x 10"	34 / 52 / 75	5000 - 10000	3000 / 4000 / 5000	120 - 347	IP65	PHOTOCELL / OCCUPANCY

XFIT OPTIC SWAP AREA LIGHT
Wattage/Color/Distribution Selectable



ITEM #	DISTRIBUTION	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES	MOUNTING INCLUDED	
4762243	T3 T4 T5	70 / 100 / 140	9310 - 20780	3000 4000 5000	120 - 277	UP TO 400W MH	POLE MOUNT	
4762245						SLIPFITTER		
4762247		185 / 210 / 290	22970 - 42770			UP TO 1000W MH	POLE MOUNT	
4762249						SLIPFITTER		

XFIT DUSK-TO-DAWN LED AREA LIGHT
Wattage/Color Selectable



ITEM #	DISTRIBUTION	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING	REPLACES
4408609	T5	30 / 40 / 60	5010 - 9250	3000 / 4000 / 5000	120 - 277	IP65	UP TO 250W MH
4408615	24" CURVED ARM MOUNT POLE						

XFIT LED SQUARE CANOPY LIGHT
Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING	CONTROL
4718316	8" x 8"	20 / 30 / 40	2500 - 5600	3000 / 4000 / 5000	120 - 277	IP65	PHOTOCELL
4718315	10" x 10"	40 / 50 / 60	5000 - 8400				


PERFORMANCE CLASS OPTI-SELECT AREA LIGHT
Wattage/Color/Distribution Selectable



ITEM #	DIST.	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES	MOUNTING INCLUDED
4928261	T3 T4 T5	90 / 120 / 150	13500 - 22500	3000 4000 5000	120 - 347	UP TO 400W MH	UNIVERSAL
4928262		180 / 240 / 300	27000 - 45000			UP TO 1000W MH	

Light distribution defines how illumination spreads from a fixture across a space.

For area lights, understanding this pattern ensures even coverage, minimizes glare, and enhances visual comfort—key factors in both design and performance. See the chart below for the right distribution for your application



Exits & Emergency

EXRG LED EXIT SIGN

Color Selectable



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
4407635	RED / GREEN	120 OR 277	UL924	SURFACE

BE LED EDGE-LIT EXIT SIGN



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
4959821	RED	120 - 277	UL924	RECESSED OR SURFACE
4959820	GREEN			

ECRG LED EMERGENCY LIGHT / EXIT COMBO

Color Selectable



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
4448044	RED / GREEN	120 - 277	UL924	SURFACE

SMART//SAFE LED EXIT SIGN

Color Switchable



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
5099198	RED / GREEN	120 - 277	UL924	SURFACE

SMART//SAFE LED EXIT SIGN



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
5099199	RED	120 - 277	UL924	SURFACE
5099200				RECESSED OR SURFACE

SMART//SAFE / EXIT COMBO

Color Switchable



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
5099197	RED / GREEN	120 OR 277	UL924	SURFACE

Exits & Emergency

APEL SERIES LED EMERGENCY LIGHT



ITEM #	VOLTAGE	LISTING	MOUNTING
1958541	120 OR 277	UL924	SURFACE

SMART//SAFE LED EMERGENCY LIGHT



ITEM #	WATTAGE	LUMEN	VOLTAGE	LISTING	MOUNTING
5099196	1.5	200	120 - 277	UL924	SURFACE

SMART//SAFE LED EMERGENCY LIGHT



ITEM #	WATTAGE	LUMEN	VOLTAGE	LISTING	MOUNTING
5099194	1.5	160	120 - 277	UL924	SURFACE

SMART//SAFE LED EMERGENCY LIGHT



ITEM #	WATTAGE	LUMEN	VOLTAGE	LISTING	MOUNTING
5099195	2.4	400	120 OR 277	UL924	SURFACE

Temporary Lighting

ULTRA LED WORK LIGHT



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
4288829	11.6" x 6.7"	100	12000	5000	120	UP TO 250W

TEMPORARY WORK SITE LED STRING LIGHTS



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING
5099251	100'	130 (10 x 13W)	16000	5000	120	IP65

Design Build (Interior)

LINTA LED LINEAR PENDANT FIXTURE

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
4880798	2'	12 / 15 / 20	14400 - 2660	2700 3000 3500 4000 5000	120 - 277	0-10V
4880799	3'	18 / 23 / 30	2160 - 3990			
4880800	4'	25 / 30 / 40	3250 - 5320			
4880801	8'	50 / 60 / 80	6500 - 10640			

ACCESSORIES		
ITEM #	SIZE	DESCRIPTION
4909372	10'	INPUT POWER CORD
4915398	2" / 5"	UNIVERSAL CANOPY COVER NON-FEED KIT
4909345	5"	CANOPY COVER FEED KIT
4909378	2'	WALL MOUNTING KIT
4909379	3'	
4909369	4'	
4909370	8'	
4909376	2'	SURFACE MOUNTING KIT
4909377	3'	
4909365	4'	
4909366	8'	
4915394	2'	RECESSED MOUNTING KIT
4915395	3'	
4909367	4'	
4909368	8'	
5099172	-	END CAP
5099173	2'	HEXAGONAL LOUVER KIT
5099174	3'	
5099175	4'	
5099176	8'	
4909357	4"	OCTAGONAL J-BOX
4909371	32'	MONOLITHIC LENS

SKYRIDGE LED ARCHITECTURAL TROFFER

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
5099422	1' x 4'	24 / 35 / 47	3084 - 6120	3000 / 4000 / 5000	120 - 277	0-10V
5099423	2' x 2'	21 / 27 / 32	2765 - 4160			
5099022	2' x 4'	30 / 39 / 52	4124 - 7048			

BLT SERIES LED VOLUMETRIC TROFFER

Color Static



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
3474038	2' x 2'	26	3385	4000	120 - 277	0-10V
3474040	2' x 4'	31	4063			

CGTS LED PANEL

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
5099421	1' x 4'	21 / 32 / 37	3271 - 5147	3500 / 4000 / 5000	120 - 277	0-10V
4600862	2' x 2'	21 / 30 / 40	2720 - 5063			
4600863	2' x 4'	27 / 39 / 52	3600 - 6918			

Design Build (Interior)

ADVANTA LED DOWNLIGHT

Wattage/Color Selectable



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
5099190	4"	5.5 / 7 / 9 / 10 / 13	650 - 1450	2700 3000 3500 4000 5000	120 - 277	PHASE / 0-10V
5099191	6"	9.5 / 13 / 18.5 / 21 / 24	1050 - 2650			
5099192	8"	16 / 20 / 23 / 27 / 30	1850 - 3350			
5099193	10"	20 / 24 / 28 / 32 / 38	2300 - 4150			

INTERCHANGEABLE TRIM FOR WAFERS					
ITEM #	SIZE	COLOR	MATTE BLACK	BRUSHED NICKEL	BRONZE
4591458	6"	MATTE BLACK			
4591461		BRUSHED NICKEL			
4591464		BRONZE			
4591459	8"	MATTE BLACK			
4591462		BRUSHED NICKEL			
4591465		BRONZE			
4591460	10"	MATTE BLACK			
4591463		BRUSHED NICKEL			
4591466		BRONZE			

BE LED EDGE-LIT EXIT SIGN



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
4959821	RED	120 - 277	UL924	RECESSED OR SURFACE
4959820	GREEN			

ADVANTA LED EMERGENCY DOWNLIGHT

Wattage/Color Selectable - Emergency Backup



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	DIM
5154005	6"	9.5 / 13 / 18.5 / 21 / 24	1050 - 2750	2700 / 3000 / 3500 4000 / 5000	120 - 277	0-10V
5154006	8"	16 / 20 / 23 / 27 / 30	1850 - 3400			

INTERCHANGEABLE TRIM FOR WAFERS					
ITEM #	SIZE	COLOR	MATTE BLACK	BRUSHED NICKEL	BRONZE
4591474	6"	MATTE BLACK			
4591476		BRUSHED NICKEL			
4591478		BRONZE			
4591475	8"	MATTE BLACK			
4591477		BRUSHED NICKEL			
4591479		BRONZE			

QUANTUM LED LIGHT BAR COMBO



ITEM #	COLOR	VOLTAGE	LISTING	MOUNTING
2325645	Red	120 OR 277	UL924	SURFACE
2325646	Green			

Design Build (Exterior)

SENTINEL LED WALL MOUNT CYLINDER

Wattage/Color/Optic Selectable



ITEM #	SIZE	FINISH	WATTAGE	LUMEN	COLOR	VOLTAGE	OPTICS
5099166	3"	BRONZE	6 / 8 / 10	600 - 1050	3000 4000 5000	120 - 277	25° 40° 60°
5099168		BLACK					
5099167		WHITE					
5099163	4"	BRONZE	12 / 16 / 20	1160 - 2050			
5099165		BLACK					
5099164		WHITE					
5099189	6"	BRONZE	21 / 28 / 36	2010 - 3200			
5099162		BLACK					
5099161		WHITE					

FORM FIT SLIP ON SHELLS							
ITEM #	SIZE	FINISH	SHAPE	BRONZE	BLACK	WHITE	UNPAINTED
5099241	3"	BRONZE	SQUARE SHELL				
5099243		BLACK					
5099242		WHITE					
5099244		UNPAINTED					
5099237	4"	BRONZE					
5099239		BLACK					
5099238		WHITE					
5099240		UNPAINTED					
5099185	6"	BRONZE					
5099187		BLACK					
5099186		WHITE					
5099188		UNPAINTED					

XFIT OPTIC SWAP HIGH POWER LED FLOODLIGHT

Wattage/Color/Distribution Selectable



ITEM #	DISTRIBUTION	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES	MOUNTING INCLUDED
5099210	7H x 6V 6H x 6V 5H x 5V	100 / 140	14000 - 21000	3000 4000 5000	120 - 277	UP TO 400W MH	SLIPFITTER / TRUNNION
5099211		210 / 290	29400 - 43500			UP TO 1000W MH	
INTERCHANGEABLE COLORED LENSES							
ITEM #	SIZE	COLOR	DISTRIBUTION	BLUE	GREEN	RED	
5099215	140W FIXTURE	BLUE	7H x 6V				
5099216			6H x 6V				
5099217			5H x 5V				
5099218		GREEN	7H x 6V				
5099219			6H x 6V				
5099220			5H x 5V				
5099221		RED	7H x 6V				
5099222			6H x 6V				
5099223			5H x 5V				
5099227		290W FIXTURE	BLUE				7H x 6V
5099228							6H x 6V
5099229							5H x 5V
5099230	GREEN		7H x 6V				
5099231			6H x 6V				
5099232			5H x 5V				
5099233	RED		7H x 6V				
5099234			6H x 6V				
5099235			5H x 5V				

Design Build (Exterior)

PERFORMANCE CLASS LED BOLLARD

Wattage/Color/Optic Selectable



ITEM #	FINISH	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE
4845293	BRONZE	42"	16 / 20 / 24	1800 / 2200 2650	3000 / 4000 / 5000	120 - 347
4845294	BLACK					
4845295	WHITE					
4966095	GRAY					

FORM FIT FULL CUTOFF LED WALL PACK

Wattage/Color Selectable



ITEM #	WATTAGE	LUMEN	COLOR	VOLTAGE	REPLACES
5099171	15 / 25 / 35	2070 - 5110	3000 / 4000 / 5000	120 - 277	UP TO 150W MH
5099169	55 / 70 / 80	7813 - 11681			UP TO 250W MH

FORM FIT SLIP ON SHELLS						
ITEM #	FINISH	SHAPE	BRONZE	BLACK	WHITE	UNPAINTED
5099177	BRONZE	HALF MOON SHELL				
5099179	BLACK					
5099178	WHITE					
5099180	UNPAINTED	QUARTER SPHERE SHELL				
5099181	BRONZE					
5099183	BLACK					
5099182	WHITE					
5099184	UNPAINTED					



MISTIK OUTDOOR LINEAR WALL WASHER

RGBW/DMX Controller Compatible



ITEM #	SIZE	WATTAGE	LUMEN	COLOR	VOLTAGE	IP RATING
4762221	2'	12	560	RGBW	120 - 277	IP66
4762222	4'	24	1110			
ACCESSORIES						
ITEM #	DESCRIPTION					
4762223	Smart Loop Wireless DMX Controller. 120 - 277V					
4762224	Smart Loop Wireless DMX Controller. 120V input with NEMA 5-15P					
4762225	6' long 3 wire input cord, 120 - 277V when controlling via 3rd party DMX controller					
4762226	1' long linking cord set to daisy chain line voltage & DMX Signal					
4762227	6' long linking cord set to daisy chain line voltage & DMX Signal					
4762228	15' long linking cord set to daisy chain line voltage & DMX Signal					
4762230	Wall Mount Bracket set of 2. Adjustable distance 12" to 24" setback from wall					

Drivers

TAPTRONIC
Programmable LED Drivers



ITEM #	DIMENSION	SIZE	WATTAGE	VOLTAGE
4642095	5" x 3"	COMPACT	25	120 - 277
4642097			40	
4973735			50	
4973736	10" x 2"	LINEAR	85	
4642098			100	
4642099			180	
4927465	10" x 3"	OUTDOOR	100	347 - 480
4927466			180	



SMART//SAFE LED EMERGENCY DRIVER
Constant Power LED EMG Backup Driver Kit



ITEM #	WATTAGE	LUMEN	VOLTAGE	APPLICATION	LISTING
4366050 EMERGENCY	5	500	120 - 277	STAND ALONE	UL924
4160288 EMERGENCY	12	1200			

SMART//SAFE LED
Constant Power EMG LED Driver



ITEM #	WATTAGE	VOLTAGE	APPLICATION	LISTING
4263607 EMERGENCY	20	120 - 277	HIGH BAYS	UL924

SMART//SAFE LED
Constant Power EMG LED Driver



ITEM #	WATTAGE	VOLTAGE	APPLICATION	LISTING
4366047 EMERGENCY	5	120 - 277	STRIP AND WRAPS	UL924
5099201 EMERGENCY	12			



CUSTOM LIGHTING SOLUTIONS

The Lighting Team to Help You Get the Job Done Right.

Lighting projects can be complex, costly, and time-consuming.

Summit Electric Supply's certified lighting specialists simplify every stage of your project.

Whether you need help with one part or a complete lighting solution, we deliver results that improve efficiency, reduce costs, and generate measurable ROI while you focus on running your business.

OUR SERVICES INCLUDE:

- » Investment-Grade Lighting Audits
- » Utility Rebates and Tax Incentives
- » ROI Proposals
- » Layout Designs and Value Engineering
- » Design Build Services
- » Turnkey Lighting Retrofits

Why Partner With Summit Electric Supply?

- 💰 **Maximize ROI**
- ⚙️ **Reduce Complexity**
- 🕒 **Accelerate Timelines**
- 📈 **Optimize Performance**

Talk to a Lighting Pro Today : (866) 792-6503 • Lighting@summit.com

Locations

SERVICE CENTERS

Arizona

Phoenix

317 S. 48th St.
Suite 100
Phoenix, AZ 85034
(602) 267-1000 *tel*
(602) 275-4273 *fax*

Louisiana

Gonzales

3348 S. Burnside Ave.
Gonzales, LA 70737
(225) 647-5600 *tel*
(225) 644-8287 *fax*

New Orleans

621 Time Saver Ave.
Harahan, LA 70123
(504) 535-2600 *tel*
(504) 818-1236 *fax*

Sulphur

3010 Business Dr.
Sulphur, LA 70665
(337) 312-1700 *tel*
(337) 533-8399 *fax*

New Mexico

Albuquerque

2900 Stanford Dr. NE
Albuquerque, NM 87107
(505) 346-9000 *tel*
(505) 346-1616 *fax*

Farmington

515 Electric Ave.
Farmington, NM 87401
(505) 326-9300 *tel*
(505) 326-1620 *fax*

Santa Fe

1143 Siler Park Ln.
Santa Fe, NM 87507
(505) 438-8400 *tel*
(505) 438-3300 *fax*

Texas

Abilene

3202 S. Treadaway Blvd.
Abilene, TX 79602
(325) 691-9600 *tel*
(325) 691-9599 *fax*

Austin

3206 Industrial Terrace
Austin, TX 78758
(512) 248-2800 *tel*
(512) 248-2680 *fax*

Summit Service Center

EP&C Division

Marine Division

Beaumont

4825 Stone Oak Dr.
Beaumont, TX 77705
(409) 351-3100 *tel*
(409) 842-5977 *fax*

Bryan/College Station

1800 Cavitt Ave.
Bryan, TX 77801
(979) 307-5000 *tel*
(979) 822-2928 *fax*

Clute

303 Commerce St.
Clute, TX 77531
(979) 265-8400 *tel*
(979) 265-9379 *fax*

Corpus Christi

453 S. Padre Island Dr.
Corpus Christi, TX 78405
(361) 698-3300 *tel*
(361) 884-1889 *fax*

El Paso

7701 Lockheed Dr.
El Paso, TX 79925
(915) 778-2600 *tel*
(915) 772-7736 *fax*

Fort Worth

500 North Beach St.
Fort Worth, TX 76111
(817) 831-4500 *tel*
(817) 222-9200 *fax*

Houston

8718 W. Little York Rd.
#100
Houston, TX 77040
(713) 230-6300 *tel*
(713) 236-2151 *fax*

Irving

3551 West Royal Ln.
Irving, TX 75063
(214) 357-7000 *tel*

La Porte

2202 S. Battleground Rd.
La Porte, TX 77571
(281) 241-2000 *tel*
(281) 241-2001 *fax*

Midland

4915 W. Industrial Ave.
Suite B
Midland, TX 79703
(432) 218-2500 *tel*
(432) 689-2376 *fax*

Odessa

6600 N. County Rd W
Odessa, TX 79764
(432) 272-8400 *tel*

San Antonio

2401 Brockton Dr.
San Antonio, TX 78217
(210) 824-5500 *tel*
(210) 826-8700 *fax*

Waco

5101 Franklin Ave.
Waco, TX 76710
(254) 776-2300 *tel*
(254) 741-6999 *fax*

DIVISIONS

Marine

621 Time Saver Ave.
Harahan, LA 70123
(504) 535-2600 *tel*
(504) 818-1236 *fax*

EP&C

8718 W. Little York Rd.
#100
Houston, TX 77040
(713) 230-6300 *tel*
(713) 236-2151 *fax*

* Specifications subject to change. Final performance depends on installation conditions and application.